

STORAGE SOLUTION

Unbunded Round Tank

STANDARD TANK SIZES

5,000L Bunded Round Poly Tank 2,200(L) x 1,800(W) x 2,400(H)

10,000L Bunded Round Poly Tank 3,000(L) x 2,500(W) x 2,960(H)

- ✓ UV-stabilised polyurethane for durability
- Stainless steel pipework and fittings
- Customizable with a range of accessories




STANDARD FEATURES

Everlink Snap TL / PEM	
4m Hose	
Auto shut off nozzle	
ATG remote dip	
Dry break	
Link to Everlink AFM diesel	

OPTIONAL FEATURES

Everlink Snap - FM Micro - Pi	n numbers
Pull Out hose reel 8m/15m	
Hose boom	
Solar power supply	
6m hose	
240v Puisi Pump	

PAD REQUIREMENTS



Control of pad of place motal aggregate



Upgrade your AdBlue® storage now!

Contact us now for tailored tank solutions, competitive pricing and fast delivery.

1300 272 444 | orders@ecoblue.com

^{*}Average dimensions listed as regulations vary per location



STORAGE SOLUTION

Bunded Round Tank

STANDARD TANK SIZES

5,000L Bunded Round Poly Tank 2,750(L) x 2,200(W) x 2,260(H)

10,000L Bunded Round Poly Tank 3,062(L) x 2,500(W) x 2,710(H)

- ✓ UV-stabilised polyurethane for durability
- Stainless steel pipework and fittings
- Customizable with a range of accessories

^{*}Average dimensions listed as regulations vary per location



STANDARD FEATURES

Everlink Snap TL / PEM

4m Hose

Auto shut off nozzle

ATG remote dip


Dry break

Link to Everlink AFM diesel

OPTIONAL FEATURES

Everlink Snap - FM Micro - Pin numbers
Pull Out hose reel 8m/15m
Hose boom
Solar power supply
6m hose
240v Puisi Pump

PAD REQUIREMENTS



Upgrade your AdBlue® storage now!
Contact us now for tailored tank solutions,

1300 272 444 | orders@ecoblue.com

competitive pricing and fast delivery.





STORAGE SOLUTION

Slimline Unbunded Tank

STANDARD TANK SIZES

3,000L Slimline Unbunded Poly Tank 2,870(L) x 940(W) x 2,150(H)

- ✓ UV-stabilised polyurethane for durability
- Stainless steel pipework and fittings
- Customizable with a range of accessories

^{*}Average dimensions listed as regulations vary per location



STANDARD FEATURES

Everlink Snap TL / PEM

4m Hose

Auto shut off nozzle

ATG remote dip


Dry break

Link to Everlink AFM diesel

OPTIONAL FEATURES

Everlink Snap - FM Micro - Pin numbers
Pull Out hose reel 8m/15m
Hose boom
Solar power supply
6m hose
240v Puisi Pump

PAD REQUIREMENTS



Concrete pad or blue metal aggregate



Upgrade your AdBlue® storage now!

Contact us now for tailored tank solutions, competitive pricing and fast delivery.

1300 272 444 | orders@ecoblue.com